

WOCK®



BREELITE

LIGHT AND
BREATHABLE



> Technical Sheet



Unisex



BREELITE 01

Navy Blue
36 - 46



BREELITE 02

Black
36 - 46



BREELITE 03

White
36 - 46



BREELITE 04

Rose
36 - 42



BREELITE 06

Gold
36 - 42



BREELITE 14

Khaki
36 - 46



BREELITE 20

Blue w/ Light Grey
40 - 46



BREELITE 21

Silver Glitter
36 - 42



BREELITE 22

Blue Glitter
36 - 42



BREELITE 23

Dark Grey Degradé
36 - 46



BREELITE 24

Grey/Fuchsia
36 - 42



BREELITE 25

White/Blue
36 - 42

NEW IN



• Breeelite Insole



BREELITE

LIGHT AND
BREATHABLE



BREELITE sneaker was created using the most advanced technology on the market. It allows you to have a singular lightness, during work, with the freshness of an outdoor walk.

Description

BREELITE is a sneaker based entirely on polymeric materials and flyknit mesh, which has the following components:

- Removable insole;
- Laces.

Users

BREELITE is ideal for activities in which professionals spend many hours standing and tend to have fatigue and discomfort in their feet and legs, namely:



Catering
industry



Beauty & Cosmetic
Institutes



Geriatrics and
Physiotherapists



Everyone with
an active life

Specifications



Super Light

Feelite™ technology produces remarkably light, resistant and comfortable footwear.



Shock Absorption

The special design helps to reduce the occurrence of micro-lesions in tendons, bones and joints, and the feeling of tired legs.



Closed Heel

Additional support for the moments that require extra agility.



Removable Insole

It's detachable to allow a deeper cleaning.



Breathable

Regulates the temperature and humidity of the foot.



Washable

The footwear can be machine washed up to 30°C.



Unisex

Style designed to be worn by men and women.

Materials and Technologies



BREELITE is made with **Feelite™** technology. This technology is super lightweight and provides extreme comfort.



BREELITE is produced with **FRESHKNIT™** technology.

Its breathable Flyknit material ensures fresh feet on long working days.

Technical Standard



CE
Regulation (EU) 2016/425.



Technical Specifications

- Machine washing up to a maximum of 30 °C;
- Slip-resistant;
- Resistant to abrasion.

Care and Cleaning

Wash: Machine washable up to a maximum temperature of 30°C. The removable insole cannot be machine washed. It should be wiped with a damp cloth.

Dry: Wipe with a cloth or dry at room temperature, without direct exposure to light.

Attention

BREELITE resists several washings at 30°C in washing machine. It is not recommended the use of bleaching agents during washing machine cycles at 30°C.

To keep your shoes new and beautiful for much longer, it is essential to follow some recommendations: Avoid getting your shoes wet, but in case this occurs, never place them in the sun.

Let them dry in the shade and also away from any other source of heat, because heat damages the materials, the colour and the texture.

A soft cloth is the main ally of this type of shoe and its cleaning should be done weekly or whenever necessary.

EU DECLARATION OF CONFORMITY

MANUFACTURER: WALKEMORE, S.A
 Rua das Casas Queimadas, n. ° 567
 4415-439 V.N. Gaia
 Portugal

This EU declaration of conformity is issued under the sole responsibility of the manufacturer, who declares that the equipment included by this declaration complies with Regulation (EU) 2016/425 for Personal Protective Equipment - Category I.

PRODUCT NAME: BREELITE



PRODUCT DESCRIPTION: WOCK® professional trainers with soles made from super-light polymeric material, textile uppers and removable insoles.

NOTIFIED BODY: Not applicable

CONFORMITY ASSESSMENT: According to the procedure described in Regulation (EU) No 2016/425 - Module A

TECHNICAL CHARACTERISTICS: Specific ergonomic features: EN ISO 20347:2012 - 5.3.3. / ISO 20344:2011, 5.1
 Thickness - Upper: EN ISO 20347:2012 - 5.4.2. / ISO 20344:2011- 6.1.
 Tensile properties - Upper: EN ISO 20347:2012 - 5.4.4. / ISO 20344:2011 - 6.4.
 Flexing resistance - Upper: EN ISO 20347:2012 - 5.4.5. / ISO 20344:2011 - 6.5.
 Tear strength - Outsole: EN ISO 20347:2012 - 5.8.2. / ISO 20344:2011 - 8.2.
 Abrasion resistance- Outsole: EN ISO 20347:2012 - 5.8.3. / ISO 20344:2011 - 8.3.
 Flexing resistance - Outsole: EN ISO 20347:2012 - 5.8.4. / ISO 20344:2011 - 8.4.
 Energy absorption of seat region: EN ISO 20347:2012 - 6.2.4. / ISO 20344:2011 - 5.14

Grijó, 12 December 2024


 WALKEMORE, S.A.
 A Administração,
 José Pinto
 CEO