





FEEL FLEX 01 Medium Blue 36 – 41



FEEL FLEX 02 Navy Blue 36 - 41



FEEL FLEX 03 White 36 - 41



FEEL FLEX 04 Black 36 – 41



Versatile sneaker constructed exclusively using the most technologically advanced materials. It allows you to do multiple tasks with all lightness and comfort.

Description

FEEL FLEX, is a shoe produced entirely from polymer materials, microfibers and neoprene, has the following components:

- Removable insole:
- · Antistatic device.

Users

FEEL FLEX, is ideal for uses where prolonged standing or walking may tend to induce foot discomfort or lower body fatigue, especially to be used in:



Hospitals and Other Healthcare Institutions



Catering industry



Beauty & Cosmetic Institutes



Everyone with an active life

Specifications



Feelite™ technology produces remarkably light, resistant and comfortable footwear.



Shock Absorption

The special design helps to reduce the occurrence of micro-lesions in tendons, bones and joints, and the feeling of tired legs.



Ergonomical back heel due to the design and neoprene finishing.



The footwear can be machine washed up to 30°C.



Breathable

Regulates the temperature and humidity of the foot.



Removable Insole

It's detachable to allow a deeper cleaning.



The sole is designed to reduce the risk of slipping.



Additional support for the moments that require extra agility.



Antistatic

Promotes the dissipation of accumulated static electricity.



Style designed to be worn by men and women.

Materials and Technologies



FEEL FLEX is made with Feelite™ technology. This technology is super lightweight and provides extreme comfort.

Technical Specifications

- · Machine washing up to a maximum of 30 °C;
- Slip-resistant;
- Resistant to abrasion.



Technical Standard



Regulation 2016/425.

Chemical resistance Indicatives Material: FEELITE®		Chemical resistance Indicatives Material: FEELITE®	
Medium	EVA Grades	Medium	EVA Grades
AQUEOUS		OXYGENATED SOLVENT	
DEIONIZED WATER	1	ACETONE	2
HYDROCHLORIC ACID, 10%	2	DI-ETHYLENE GLYCOL	2
NITRIC ACID, 10%	2	ETHYL ACETATE	2
NITRIC ACID, 40%	3	ETHYL ALCOHOL	2
NITRIC ACID, 50%	3	ETHLENE GLYCOL	2
SODIUM HYDROXIDE, 50%	3	ETHANOL	1
SULFURIC ACID, 10%	3	METHYL ETHYL KETONE	2
SULFURIC ACID, 30%	3	METHYL ISOBUTYL KETONE	2
HYDROCARBONS		PROPANOL OTHERS	1
ASTM 3 OIL	2	ACETIC ACID	1
DIESEL	3	CHLOROFORM	2
GASOLINE	3		
HEXANE	3		
MINERAL OIL	3		
TOLUENE	3		

Legend: 1 = Excelent; 2 = Good; 3 = Limited; 4 = Not recommended

Care and Cleaning

Wash: Machine washable up to a maximum temperature of 30°C. The removable insole must be washed inside the clog.

Dry: Wipe with a cloth or dry at room temperature, without direct exposure to light.

Attention

FEEL FLEX resists several washings at 30°C in washing machine. It is not recommended the use of bleaching agents during washing machine

To keep your shoes new and beautiful for much longer, it is essential to follow some recommendations: Avoid getting your shoes wet, but in case this occurs, never place them in the sun. Let them dry in the shade and also away from any other source of heat, because heat damages the materials, the colour and the texture. A soft cloth is the main ally of this type of shoe and its cleaning should be done weekly or whenever necessary.





DECLARATION OF CONFORMITY

MANUFACTURER: WALKEMORE S.A

Rua das casas queimadas 567 4415-439 VN Gaia, Portugal

This EU declaration of conformity is issued under the sole responsibility of the manufacturer, who declares that the equipment included by this declaration complies with Regulation (EU) 2016/425 for Personal Protective Equipment - Category I.

PRODUCT NAME: FEEL FLEX





FEEL FLEX on Black

FEEL FLEX DE White

PRODUCT DESCRIPTION: Trainers from WOCK® brand, with soles, microfibre and lycra upper and

PU insoles.

NOTIFIED BODY: Not applicable

CONFORMITY ACESSMENT: In accordance with the procedure described in Module A of Regulation

(EU) No 2016/425

TECHNICAL CHARACTERISTICS: Specic ergonomics features: EN ISO 20347:2012/5.3.3 / EN ISO 20344:2011/5.1

Thickness of upper: EN ISO 20347:2012/5.4.2 / EN ISO 20344:2011/6.1

Tensile properties of upper: EN ISO 20347:2012/5.4.4 / EN ISO 20344:2011/6.4 Flexing resistance of upper: EN ISO 20347:2012/5.4.5 / EN ISO 20344:2011/6.5 Tear strength of outsole: EN ISO 20347:2012/5.8.2 / EN ISO 20344:2011/8.2 Abrasion resistance of outsole: EN ISO 20347:2012/5.8.3 / EN ISO 20344:2011/8.3 Flexing resistance of outsole: EN ISO 20347:2012/5.8.4 / EN ISO 20344:2011/8.4 Aprintable for two are EN ISO 20347:2012/6.3.3 / EN ISO 20344:2011/8.4

Antistatic footwear: EN ISO 20347:2012/6,2,2,2 / EN ISO 20344:2011/5.10

ADDITIONAL INFORMATION: Washability at 30°C: Based on

Insole cannot be washed or sterilized in an autoclave.

Grijó, 02 January 2024



