

DECLARATION OF CONFORMITY

MANUFACTURER:

WALKEMORE, S.A
Rua das Casas Queimadas, n.º 567
4415-439 V.N. Gaia
Portugal

This EU declaration of conformity is issued under the sole responsibility of the manufacturer, who declares that the equipment included by this declaration complies with Regulation (EU) 2016/425 for Personal Protective Equipment - Category II.

PRODUCT NAME:

SECURLITE

(Produced in the year/month marked on the clogs)

PRODUCT DESCRIPTION:

Safety footwear from WOCK® brand, made entirely from polymeric materials, from Size 36 to 46.

NOTIFIED BODY:

APICCAPS – Associação Portuguesa dos Industriais de Calçado, Componentes e Artigos de pele e seus Sucedâneos, N.º 2790

CONFORMITY ASSESSMENT:

According to the procedure described in Annex V Module B of Regulation (EU) No 2016/425

EU CERTIFICATE OF CONFORMITY:

EU Type Examination Certificate CE-2790-90/2021, Shoe type A, with protection category **S4 SRC**, according to standard EN ISO 20345:2011

Pedroso, 01 September 2025

WALKEMORE, S.A.
A Administração,

José Pinto
CEO

WOCK®

> Technical Sheet

SECURLITE

LIGHTNESS COMBINED WITH
MAXIMUM SAFETY



Unisex



SECURLITE 01

White
36 - 46



SECURLITE 02

Black
36 - 46

• SECURLITE Insole



SECURLITE

LIGHTNESS COMBINED WITH
MAXIMUM SAFETY



With **SECURLITE** you can walk with maximum safety and lightness.

Description

SECURLITE this safety shoe is entirely made of polymeric materials and has the following components:

- Antistatic insert;
- Safety toe cap;
- Evergrip™ rubber track;
- Fuel oil resistant.

Users

SECURLITE, is ideal for HORECA, Food Industry, Logistic and Fishmongers.



Catering
industry



Food
industry



Logistic



Fishmongers

Specifications



Super Light

Feelite™ technology produces remarkably light, resistant and comfortable footwear.



Shock Absorption

The special design helps to reduce the occurrence of micro-lesions in tendons, bones and joints, and the feeling of tired legs.



Safety Toe Cap

Protects the foot from pressure and impacts up to 200 joule.



Antistatic

Promotes the dissipation of accumulated static electricity.



Upper Liquid Protection

Avoids the entrance of liquids inside the shoe.



Closed Heel

Additional support for the moments that require extra agility.



Washable

The footwear can be machine washed up to 50°C.



Antislip SRC

The sole is designed to reduce the risk of slipping.



Extra Protection

Absence of ventilation holes avoiding the entrance of speck to the interior of the footwear.



Fuel Oil Resistant

Rubber track does not lose properties in contact with oil and hydrocarbons.

Materials and Technologies



SECURLITE is made with **Feelite™** technology. Whose material is non-toxic and provides comfort because it is super light.



The geometric design and the exclusive chemical formula used in the production of the rubber track of **SECURLITE** outsole, provides excellent adherence to the ground, reducing the risk of slipping. **SECURLITE's** Evergrip™ outsole accomplishes SRC antislip level.

Technical Standard



CE

Regulation (EU) 2016/425.



EN ISO 20345:2011

S4+E+A+FO+SRC



Technical Specifications

- SRC Slip-resistant;
- Machine washable up to a maximum of 50°C;
- Evergrip™ fuel oil resistant;
- Resistant to abrasion;
- Resistant to detergents;

Chemical resistance Indicatives Material: FEELITE®		Chemical resistance Indicatives Material: FEELITE®	
Medium	EVA Grades	Medium	EVA Grades
AQUEOUS		OXYGENATED SOLVENT	
DEIONIZED WATER	1	ACETONE	2
HYDROCHLORIC ACID, 10%	2	DI-ETHYLENE GLYCOL	2
NITRIC ACID, 10%	2	ETHYL ACETATE	2
NITRIC ACID, 40%	3	ETHYL ALCOHOL	2
NITRIC ACID, 50%	3	ETHYLENE GLYCOL	2
SODIUM HYDROXIDE, 50%	3	ETHANOL	1
SULFURIC ACID, 10%	3	METHYLETHYL KETONE	2
SULFURIC ACID, 30%	3	METHYL ISOBUTYL KETONE	2
HYDROCARBONS		PROPANOL	1
ASTM 3 OIL	2	OTHERS	
DIESEL	3	ACETIC ACID	1
GASOLINE	3	CHLOROFORM	2
HEXANE	3		
MINERAL OIL	3		
TOLUENE	3		
TURPENTINE	3		

Legend: 1 = Excellent; 2 = Good; 3 = Limited; 4 = Not recommended

Care and Cleaning

Wash: Machine washable up to 50°C. Larger dirt particles can be scrubbed with a soft bristle brush with water and detergent.

Dry: Wipe with a dry cloth or leave to dry at room temperature, in the shade and away from heat sources. Never dry directly in the sun as heat damages the material, colour and texture.

A soft cloth is the main ally of this type of shoe and its cleaning should be done weekly or whenever necessary.

Attention

SECURLITE will withstand several washes at 50°C in the washing machine. The use of bleaching agents during 50°C machine wash cycles is not recommended.