



REBLAST

PROTECTION AND
BREATHABILITY



> **Technical Sheet**



Unisex



REBLAST 01

Black | Black
36 - 46



REBLAST 02

Black
36 - 46



REBLAST 04

Rose
36 - 42



REBLAST 05

Grey
36 - 46



REBLAST 06

Gold
36 - 42



REBLAST 08

Bronze
36 - 42



REBLAST 10

Royal Blue
36 - 46



REBLAST 13

Magenta
36 - 42



REBLAST 14

Blue/ Silver
36 - 42

NEW IN



REBLAST VELCRO 01

Black | Black
36 - 46



REBLAST VELCRO 02

Silver
36 - 42



REBLAST VELCRO 03

Beige
36 - 42

REBLAST VELCRO

• Reblast Insole



REBLAST

PROTECTION AND
BREATHABILITY



REBLAST sneaker offers extreme lightness and high technicality in a fresh and functional look.

Description

REBLAST is a sneaker created using an EVA sole and a rubber track. Combines fused printing with mesh in the upper, which has the following components:

- Removable insole;
- Laces.

Users

REBLAST is ideal for activities in which professionals spend many hours standing and tend to have fatigue and discomfort in their feet and legs, namely:



Catering industry



Beauty & Cosmetic Institutes



Geriatrics and Physiotherapists



Everyone with an active life

Specifications



Super Light

Feelite™ technology produces remarkably light, resistant and comfortable footwear.



Shock Absorption

The special design helps to reduce the occurrence of micro-lesions in tendons, bones and joints, and the feeling of tired legs.



Closed Heel

Additional support for the moments that require extra agility.



Removable Insole

It's detachable to allow a deeper cleaning.



Breathable

Regulates the temperature and humidity of the foot.



Easy Fastening*

The velcro fastening gives greater versatility and practicality when adjusting, as well as superior comfort and perfect adaptation to any shape of foot.



Unisex

Style designed to be worn by men and women.

Materials and Technologies



REBLAST is made with **Feelite™** technology. This technology is super lightweight and provides extreme comfort.



PROBREATHE™ technology brings protection and breathability combined with antislip for a fluid and full performance. Both in knit and nylon.

Technical Standard



CE
Regulation (EU) 2016/425.



Technical Specifications

- Slip-resistant;
- Resistant to abrasion.

Care and Cleaning

For proper shoe care, gently remove dirt with a soft brush. Clean other stains using a sponge or a damp cloth in a mixture of water and a few drops of laundry detergent or mild soap, then rinse with water. Let the shoes dry in the shade, in a ventilated area, away from heat sources, and remove the insoles to allow them to air out. Do not machine wash.

Attention

To keep your shoes new and beautiful for much longer, it is essential to follow some recommendations: Avoid getting your shoes wet, but in case this occurs, never place them in the sun. Let them dry in the shade and also away from any other source of heat, because heat damages the materials, the colour and the texture. A soft cloth is the main ally of this type of shoe and its cleaning should be done weekly or whenever necessary.

* Only applies to REBLAST Velcro version.

EU DECLARATION OF CONFORMITY

MANUFACTURER: WALKEMORE, S.A
 Rua das Casas Queimadas, n.º 567
 4415-439 V.N. Gaia
 Portugal

This EU declaration of conformity is issued under the sole responsibility of the manufacturer, who declares that the equipment included by this declaration complies with Regulation (EU) 2016/425 for Personal Protective Equipment - Category I.

PRODUCT NAME: REBLAST AND REBLAST VELCRO



PRODUCT DESCRIPTION: WOCK® professional trainers with soles made from super-light polymeric material, textile uppers and removable insoles.

NOTIFIED BODY: Not applicable

CONFORMITY ASSESSMENT: According to the procedure described in Regulation (EU) No 2016/425 - Module A

TECHNICAL CHARACTERISTICS: Specific ergonomic features: EN ISO 20347:2012 - 5.3.3. / ISO 20344:2011, 5.1
 Thickness - Upper: EN ISO 20347:2012 - 5.4.2. / ISO 20344:2011- 6.1.
 Tensile properties - Upper: EN ISO 20347:2012 - 5.4.4. / ISO 20344:2011 - 6.4.
 Flexing resistance - Upper: EN ISO 20347:2012 - 5.4.5. / ISO 20344:2011 - 6.5.
 Tear strength - Outsole: EN ISO 20347:2012 - 5.8.2. / ISO 20344:2011 - 8.2.
 Abrasion resistance- Outsole: EN ISO 20347:2012 - 5.8.3. / ISO 20344:2011 - 8.3.
 Flexing resistance - Outsole: EN ISO 20347:2012 - 5.8.4. / ISO 20344:2011 - 8.4.
 Energy absorption of seat region: EN ISO 20347:2012 - 6.2.4. / ISO 20344:2011 - 5.14

Grijó, 12 December 2024

WALKEMORE, S.A
 Administração,
 José Pinto
 CEO