



> Technical Sheet

EVERLITE
 LIGHTNESS
 OF MOVEMENTS



EVERLITE 01

Blue
35 - 47



EVERLITE 02

Navy Blue
35 - 47



EVERLITE 03

White
35 - 47



EVERLITE 04

Black
35 - 47



EVERLITE 07

Fuchsia
35 - 42



EVERLITE 11

Green
35 - 42

SPECIAL EDITION



EVERLITE 09

Baby Rose
35 - 42



EVERLITE 10

Warm Grey
35 - 42



EVERLITE CLOSED 01

White
35 - 47



EVERLITE CLOSED 02

Black
35 - 47



CLOSED



Extra protection

• EVERLITE Insole



EVERLITE

LIGHTNESS

OF MOVEMENTS



With **EVERLITE** you can be even more efficient in everything you do.

Description

EVERLITE is an occupational shoe made entirely of polymeric materials and with the following components:

- Antistatic insert;
- Removable insole;
- Ventilation holes — both on clog and insole.

Users

EVERLITE is ideal for uses where prolonged standing or walking may tend to induce foot discomfort or lower body fatigue, especially to be used in:



Specifications

- Super Light**
Feelite™ technology produces remarkably light, resistant and comfortable footwear.
- Removable Insole**
It's detachable to allow a deeper cleaning.
- Shock Absorption**
The special design helps to reduce the occurrence of micro-lesions in tendons, bones and joints, and the feeling of tired legs.
- Antistatic**
Promotes the dissipation of accumulated static electricity.
- Upper Liquid Protection**
Avoids the entrance of liquids inside the shoe.
- Closed Heel**
Additional support for the moments that require extra agility.
- Breathable***
Regulates the temperature and humidity of the foot.
- Washable**
The footwear can be machine washed up to 50 °C.
- Antislip**
The sole is designed to reduce the risk of slipping.
- Extra Protection****
Absence of ventilation holes avoiding the entrance of speck to the interior of the footwear.
- Unisex**
Style designed to be worn by men and women.

Materials and Technologies

- EVERLITE** is made with **Feelite™** technology. Its material is super lightweight and is non-toxic.

Technical Standard

- CE**
Regulation 2016/425.
- SATRA TM 144:2011** Slip Resistance.
SATRA TM 158:1992 Washability — 50 °C.



Technical Specifications

- Heat resistance — machine washing up to a maximum of 50 °C;
- Slip-resistant;
- Resistant to abrasion;

Chemical resistance Indicatives Material: FEELITE®		Chemical resistance Indicatives Material: FEELITE®	
Medium	EVA Grades	Medium	EVA Grades
AQUEOUS		OXYGENATED SOLVENT	
DEIONIZED WATER	1	ACETONE	2
HYDROCHLORIC ACID, 10%	2	DI-ETHYLENE GLYCOL	2
NITRIC ACID, 10%	2	ETHYL ACETATE	2
NITRIC ACID, 40%	3	ETHYL ALCOHOL	2
NITRIC ACID, 50%	3	ETHYLENE GLYCOL	2
SODIUM HYDROXIDE, 50%	3	ETHANOL	1
SULFURIC ACID, 10%	3	METHYL ETHYL KETONE	2
SULFURIC ACID, 30%	3	METHYL ISOBUTYL KETONE	2
HYDROCARBONS		PROPANOL	1
ASTM 3 OIL	2	OTHERS	
DIESEL	3	ACETIC ACID	1
GASOLINE	3	CHLOROFORM	2
HEXANE	3		
MINERAL OIL	3		
TOLUENE	3		
TURPENTINE	3		

Legend: 1 = Excellent; 2 = Good; 3 = Limited; 4 = Not recommended

Care and Cleaning

Wash: Machine washable up to a maximum temperature of 50 °C. Can also be cold sterilization with chlorine, sodium hypochlorite or hydrogen peroxide. The removable insole must be washed inside the clog.

Dry: Wipe with a cloth or dry at room temperature.

Attention

EVERLITE resists several washings at 50 °C in washing machine. It is not recommended the use of bleaching agents during washing machine cycles at 50 °C.

To keep your shoes new and beautiful for much longer, it is essential to follow some recommendations: Avoid getting your shoes wet, but in case this occurs, never place them in the sun. Let them dry in the shade and also away from any other source of heat, because heat damages the materials, the colour and the texture. A soft cloth is the main ally of this type of shoe and its cleaning should be done weekly or whenever necessary.

* Only applies to EVERLITE OPEN

** Only applies to EVERLITE CLOSED.

DECLARATION OF CONFORMITY

MANUFACTURER:

PROCALÇADO – Produtora de Componentes para Calçado, S.A.
Largo das Alminhas, das Barrancas, 97
4415-343 Pedroso, Portugal

This EU declaration of conformity is issued under the sole responsibility of the manufacturer, who declares that the equipment included by this declaration complies with Regulation (EU) 2016/425 for Personal Protective Equipment - Category I.

PRODUCT NAME:

EVERLITE AND EVERLITE CLOSED



EVERLITE 01 - Blue



EVERLITE 02 - Navy Blue



EVERLITE 03 - White



EVERLITE 04 - Black



EVERLITE 05 - Pink



EVERLITE 08 - Green



EVERLITE 09 - Baby rose



EVERLITE 10 - Warm grey



EVERLITE 11 - Hospital green



EVERLITE CLOSED 01 - White



EVERLITE CLOSED 02 - Black

PRODUCT DESCRIPTION:

Professional clogs from the WOCK® brand, made entirely from polymeric materials, sizes 35 to 47, with a removable thermoplastic insole, lined in fabric.

NOTIFIED BODY:

Not applicable

CONFORMITY ASSESSMENT:

In accordance with the procedure described in Module A of Regulation (EU) No 2016/425

TECHNICAL CHARACTERISTICS:

Height of upper: EN ISO 20347:2012 – 5.2.2. / EN ISO 20344:2011 – 6.2.
Thickness - Upper: EN ISO 20347:2012 – 5.4.2. / EN ISO 20344:2011 – 6.1.
Flexing resistance - Upper: EN ISO 20347:2012 – 5.4.5. / EN ISO 20344:2011 – 6.5.
Thickness - Outsole: EN ISO 20347:2012 – 5.8.1.1. / EN ISO 20344:2011 – 8.1.
Abrasion resistance - Outsole: EN ISO 20347:2012 – 5.8.3. / EN ISO 20344:2011 – 8.3.
Flexing resistance - Outsole: EN ISO 20347:2012 – 5.8.4. / EN ISO 20344:2011 – 8.4.
antistatic footwear: EN ISO 20347:2012 – 6.2.2.2. / EN ISO 20344:2011 – 5.10.
Energy absorption of seat region: EN ISO 20347:2012 – 6.2.4. / EN ISO 20344:2011 – 5.14.
Slip Resistance (seco e húmido): SATRA TM 144:2011

ADDITIONAL INFORMATION:

Washability 50°C: SATRA TM 158:1992

Grijó, 02 January 2024

WALKEMORE, S.A.
A Administração,
Jose Pinto
CEO